

30-day Surgical Site Infection and Reintervention Rates In Lower Extremity Bypass Patients at LVHN

Edward Oh MS

Lehigh Valley Health Network, Edward.Oh@lvhn.org

Mila H. Ju MD

Lehigh Valley Health Network, Mila.Ju@lvhn.org

Follow this and additional works at: <https://scholarlyworks.lvhn.org/select-program>

Part of the [Medical Education Commons](#)

Published In/Presented At

Oh, E. Ju, M. (2019, March). *30-day Surgical Site Infection and Reintervention Rates In Lower Extremity Bypass Patients at LVHN*. Poster Presented at: 2019 SELECT Capstone Posters and Presentations Day. Kasych Family Pavilion, Lehigh Valley Health Network, Allentown, PA

This Poster is brought to you for free and open access by LVHN Scholarly Works. It has been accepted for inclusion in LVHN Scholarly Works by an authorized administrator. For more information, please contact LibraryServices@lvhn.org.

30-day Surgical Site Infection and Reintervention Rates In Lower Extremity Bypass Patients at LVHN

Edward Oh, Dr. Mila Ju, MD

Lehigh Valley Health Network, Allentown, Pennsylvania

Background

- Nat'l clean SSI rate: ~2.1%
- Nat'l LE bypass SSI rate: ~3.5-32%
- 30-day readmit rates s/p LE bypass: 28.6%
 - Most common cause of readmission
 - Increased cost to system
 - Increased morbidity & mortality
 - Decreased patient QOL
- LE bypass can be performed open or endovascularly

Problem Statement

The purpose of this project was to evaluate the 30-day SSI rate in lower extremity bypass patients at LVHN

Methods

- Internally designated & designed quality improvement (QI) single-center study
- 334 initial patients included from 2017-2018
 - Master list of CPT codes relating to LE bypass
- Reintervention CPT codes obtained from 2017-2018
 - Cross-matched two databases with retrospective chart review

Results

Table I: CPT codes and frequency of corresponding procedures from 2017-2018 at LVPG Vascular Surgery

CPT Code	Procedure Description	# of operations (2017-2018)
35556	Bypass graft, with vein, fem-pop	63
35558	Bypass graft, with vein, fem-fem	3
35565	Bypass graft, with vein, iliofem	3
35566	Bypass graft, with vein, fem-AT, PT, peroneal or other distal vessel	60
35571	Bypass graft, with vein, pop-tibial, peroneal or other distal vessel	22
35583	In-situ vein bypass, fem-pop	5
35585	In-situ vein bypass, fem-AT, PT, peroneal or other distal vessel	7
35587	In-situ vein bypass, pop-tib, peroneal	0*
35621	Bypass graft, with other than vein, ax-fem	9
35623	Bypass graft, with other than vein, ax-pop or tibial	0*
35646	Bypass graft, with other than vein, aortobifem	20
35647	Bypass graft, with other than vein, aortounifem	4
35654	Bypass graft, with other than vein, ax-fem-fem	6
35656	Bypass graft, with other than vein, fem-pop	59
35661	Bypass graft, with other than vein, fem-fem	33
35665	Bypass graft, with other than vein, iliofem	13
35666	Bypass graft, with other than vein, fem-AT, PT, or peroneal	23
35671	Bypass graft, with other than vein, ax-fem-fem	0*

Table II: CPT codes, post exclusion criteria, related to postop wound complications

CPT Code	Procedure Description	#
35860	PR EXPLOR POSTOP BLEED,INFE,CLOT-EXTR	3
10180	PR COMPLEX DRAINAGE, WOUND	9
35903	PR EXCISION, INFE, GRAFT, EXTREMITY	4
TOTAL		16

Table III: Conduit and bypass types leading to 30-day groin SSI rates

Procedure	Vein	Graft	TOTAL
Fem-fem		1	1
Fem-pop	4	2	6
Fem-AT/PT/peroneal or other distal vessel		2	2
Aorto-bifem		1	1
Axillary-bifem		1	1
TOTAL	4	7	11

Discussion

- SSI rate of **3.6%**
 - Within nat'l reported range of 3.5-32%
 - Relatively low rate = positive news
- Overall outcomes s/p LE procedures remain poor
 - Patient comorbidities
 - High-risk and lengthy procedures
 - Association b/w PAD and CAD
- SELECT Principles
 - Cost Savings (Health Systems)
 - Avoid further interventions
 - Decrease morbidity & mortality
 - VBPCC
 - Improve patient QOL

Conclusions

- 30-day groin SSI rate at LVPG Vascular Surgery
 - ~3.6%
 - Near lower range of nat'l reports of 3.5-32%
- Expanded inclusion criteria and more detailed chart review
 - Increase sample size
 - More robust cohort
- Assess impact of patient characteristics and peri-op variables

REFERENCES

- Culver DH, Horan TC, Gaynes RP. Surgical wound infection rates by wound class, operative procedure, and patients risk index. Am J Med 1981;91:152-157.
- Josephs LG, Corlett PR, Edwards DL. Do infected inguinal lymph nodes increase the incidence of postoperative groin wound infection? J Vasc Surg 1993;17:1077-1082.
- Phair J, DeCarlo C, Scher L, Kollet L, Shariff L, Lipitz EC, Gang K. Risk Factors for unplanned readmission and stump complications after major lower extremity amputation. J Vasc Surg 2018 Mar;50(3):848-856.
- Deisen W, Van Velsoren, SAN, van de Nollen, RHW. Risk factors for surgical-site infection following common femoral artery endarterectomy. Vasc Endovasc Surg 2009;17:69-75.
- Greenblatt DY, Rajamannickam V, Moll MW. Predictors of surgical site infection after open lower extremity revascularization. J Vasc Surg 2011;54:433-439.
- Dayama A, Tallimpati N, Kozlakowski S, Meloto NM, Humphries MD. Clinical outcomes of bypass-first versus endovascular-first strategy in patients with chronic limb-threatening ischemia due to infrapopliteal arterial disease. J Vasc Surg 2019;51(1):166-173.
- Darling JD, O'Donnell TP, Deery SE, Norman AV, Yu GH, Guzman RJ, Wyers MC, Hamden AD, Schenckhoff ML. Outcomes after first-time lower extremity revascularization for chronic limb-threatening ischemia in insulin-dependent diabetic patients. J Vasc Surg 2018 Nov;50(5):1455-1461.
- Vogel TR, Dombrovsky VY, Carson JL. Infection complications after elective vascular surgical procedures. J Vasc Surg 2016;51:122-130.
- O'Brien R, Puccio N, Tonello F. Wound infection after reconstructive arterial surgery of the lower limbs: Risk factors and consequences. Surg 2011;9:245-248.
- Craig RH, Langer RD, Frank A, Fogelgren HS, Kluber MS, McCann TJ, Browner D. Mortality over a period of 10 years in patients with peripheral arterial disease. N Engl J Med 1992;326(9):81.
- Boase JW, Chawke PG, Lee AJ, Dunbar J, Housley E, Ruckley CV. Use of ankle brachial pressure index to predict cardiovascular events and death: a cohort study. BMJ 1996;313(7070):1440.
- Boase JW, Jacobs CL, Swartzlowick MF, Bosa MJ, Bhandari M. Evidence-Based Orthopedic Trauma Working Group. Complex limb salvage or early amputation for severe lower-limb injury: a meta-analysis of observational studies. J Orthop Trauma 2007;21(1):70.
- Hirsch AT, Hassel JZ, Hertzler NR, Bakst CW, et al. ACC/AHA 2005 Practice Guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): a collaborative report from the American Association for Vascular Surgery/Society for Vascular Medicine, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, Society of Interventional Radiology, and the ACC/AHA Task Force on Practice Guidelines (Writing Committee to Develop Guidelines for the Management of Patients With Peripheral Arterial Disease), endorsed by the American Association of Cardiovascular and Pulmonary Rehabilitation, National Heart, Lung, and Blood Institute, Society for Vascular Nursing, TransAtlantic Inter-Society Consensus, and Vascular Disease Foundation. Circulation 2006;113(11):e463.
- Goodney PP, Beck AV, Nagle J, Welch HG, Zwahlen RM. National trends in lower extremity bypass surgery, endovascular interventions, and major amputations. J Vasc Surg 2009;49(5):1134-40.
- Society of Vascular Surgery Website. www.vascularweb.org. Accessed Feb 13, 2019.
- Bailey JM, Casey AL, Pennello N, Hudson PM, Mitchell GA, Crosby C. Impact of surgical site infection on healthcare costs and patient outcomes: a systematic review in six European countries. J Hosp Infect 2017 May;86(1):1-15.
- Sullivan E, Gupta A, Cook CH. Cost and Consequences of Surgical Site Infections: A Call to Arms. Surg Infect 2017 May;18(4):451-454.
- Scott EC, Bucknara A, Light RE, Sobell CD, Mihov TP, et al. Subtimal Angioplasty for the Treatment of Claudication and Critical Limb Ischemia: 3-Year Results. Southern Assoc for Vasc Surg 2007 Meeting.

© 2018 Lehigh Valley Health Network