

References

- Andreas, N., Molitor, W. L., & Dubisar, L. (2021). Managing concussion: Occupational therapy's role in evaluating and treating athletes. *OT Practice*.
- Dessy, A. M., Yuk, F. J., Maniya, A. Y., Gometz, A., Rasouli, J. J., Lovell, M. R., & Choudhri, T. F. (2017). Review of assessment scales for diagnosing and monitoring sports-related concussion. *Cureus*. <https://doi.org/10.7759/cureus.1922>
- Finn, C. (2019). Occupational therapists' perceived confidence in the management of concussion: Implications for occupational therapy education. *Occupational Therapy International*, 2019. <https://doi.org/10.1155/2019/924515>.
- Philip Schatz, Jamie E. Pardini, Mark R. Lovell, Michael W. Collins, Kenneth Podell, Sensitivity and specificity of the IMPACT Test Battery for concussion in athletes, *Archives of Clinical Neuropsychology*, Volume 21, Issue 1, January 2006, Pages 91–99, <https://doi.org/10.1016/j.acn.2005.08.001>
- Whelan, B. M., Gause, E. L., Ortega, J. D., Mills, B. M., Schmidt, J. D., Kaminski, T. W., Buckley, T. A., Breedlove, K. M., Kontos, A. P., Clugston, J. R., Goldman, J. T., Harmon, K. G., McCrea, M. A., McAllister, T. W., Broglio, S. P., & Chrisman, S. P. D. (2022). King-devick testing and concussion recovery time in collegiate athletes. *Journal of Science and Medicine in Sport*, 25(11), 930–934. <https://doi.org/10.1016/j.jsams.2022.08.012>